




## **\*Model : B12**

## Basic Phone



- Slim Base
- Ring Indication
- 3- Step Ringer Volume Control(H L OFF)
- Tone / Pulse Dialling mode Selectable
- Flash Function
- Pause Function
- Mute Function
- Last Number Redial
- Dynamic Changeover from Pulse to Tone
- Desktop / Wall Mountable

# Model : B11/I11/C11

## Basic Phone



- Ringer volume control
- Tone pulse Switchable
- Redial
- Mute
- Flash
- Pause
- LED for Ring indication

# Model : B15

## Basic Phone



- Ringer volume control
- Tone pulse Switchable
- Redial
- Mute
- Flash
- Pause
- LED for Ring indication

# Model : B25

## Basic Phone



- Ringer volume control switch
- Tone/ Pulse switchable
- Redial
- Pause
- Flash
- Wall/ Desk Mountable

# Model : B26

## Basic Phone



- Ringer volume control
- Tone/ Pulse switchable
- Redial
- Selectable Flash
- Wall/ Desk Mountable

# Model : B70

## Basic Phone



- Ringer volume control switch
- Tone/ Pulse Switchable
- Redial
- Mute
- Flash
- Pause
- LED for Ring indication

# Model : B80

## Basic Phone



- Ringer volume control switch
- Tone/ Pulse switchable
- Redial
- Flash
- Pause
- Desk / Wall Mountable





# Beetel Caller ID Phones

---

## **\*Model : M18**

## CLI Phone



- DTMF/FSK CLI Compatible.
- 16 - Digits LCD Display
- 40- Incoming Call Memory (with 10 Digits)
- 40 - VIP Calls Memory
- 10 - Outgoing Call Memory (with 10 Digits)
- 16 - Ring Melody Selectable
- Adjustable Ringer Volume Control
- Ring LED Indication
- Adjustable LCD Contrast
- PABX Code & Local Area code Setting.
- Mute and DND Function
- Two Way Speaker Phone with adjustable Volume
- Programmable Flash Time
- Alarm
- Tone/Pulse Dialing Mode Selectable
- Anti Steal Dialing Function
- Pause & Redial Function

# \*Model : C51/I51/M51

## CLI Phone



- FSK/DTMF compatible caller-id
- 16 Digit single Line LCD display
- 30 incoming Memory
- 5 outgoing memory
- Real time clock with year, date & month display
- 6 step LCD contrast adjustable
- Redial (31 digits redial memory)
- Display of incoming numbers, new call, total calls
- & repeat calls
- Checking, Erasing and call back for incoming / outgoing calls/pre-dialing
- Toggle Mute
- Flash 300ms (100ms, 300ms, 600ms, 1000ms programmable)
- Tone / Pulse selectable through software (\* key)
- Ringer volume control Switch

## \*Model : M52

## CLI Phone



- DTMF/ FSK compatible Caller ID
- Ringer volume control Switch
- Toggle Mute
- Redial
- Hands-free dialing
- LED for Ring indication
- Redial (31 digit Redial memory)
- 30 incoming calls memory
- 5 outgoing calls memory
- 6 step LCD contrast adjustable
- 16 digit single Line LCD display
- Display of incoming numbers, new call, total calls
- & repeat calls
- Checking, Erasing and call back for incoming /
- outgoing calls/pre-dialing
- Flash 300ms (100ms, 300ms, 600ms, 1000ms
- programmable)
- Tone/ Pulse selectable through software
- Pause

## **\*Model : M53**

## CLI Phone



- FSK/DTMF compatible Caller-ID
- 80 incoming Memory
- 24 outgoing memory
- Real time clock with year, date & month display
- 12 digit Green / Orange Backlit LCD
- Display of incoming numbers, new call, total calls & repeat calls
- Basic calculator
- Programmable Flash
- Ringer volume control Switch
- Anti line tapping
- Music on Hold
- Redial (31 digit Redial memory)
- Two-Way Speakerphone with programmable receive volume setting
- DO NOT DISTURB for max 12 hours
- Desk / wall mountable
- LED for in use indication
- Pause

# Model – M56

CLI Phone



- Conversation time display
- FSK/DTMF Compatible Caller-ID.
- 2-Way Speakerphone.
- 6-step Adjustable LCD Contrast.
- Toggle Mute.
- Handsfree Dialing
- VIP Number Storage
- In-use LED Indication

## \*Model : M57

## CLI Phone



- FSK/DTMF Caller ID System Compatible
- Call Waiting CLI for FSK Type-II
- LCD Display with 16-Digit and 16-Character
- 50 Nos - Phone Book
- 50 Nos - Incoming Call Memory
- 10 Nos - Outgoing Call Memory
- 4 – One Touch Memory (M1 ~ M4)
- Menu Selectable in English / Spanish Language
- 5 Kinds of Normal Ring Melody Selectable
- 5 Digits Area Code Setting
- 5 Digits Long Distance Code Setting
- 5 Levels of LCD Contrast Selectable
- 3 Levels of Ringing Volume Control Selectable
- 2 - Way Speakerphone with Adjustable Receive Volume
- 2 Levels of Handset Receive Volume Control Selectable
- Pre-dialing ,Edit & Delete Function
- Toggle Mute Function
- Tone / Pulse Dialing Switchable
- Programmable Flash Time (100/300/600/1000) m Sec
- Pause and Redial function
- Ring LED Indication
- In - Use LED Indication

# \*Model : M64

## CLI Phone



- Dual Mode FSK/DTMF CLI Compatible
- 16-Digit LCD Display with Blue Back light.
- Adjustable LCD Screen
- 99 Nos Incoming Call Memory.
- 18 Nos Outgoing Call Memory.
- 3 One-Touch Memory.
- 5 Kinds of Normal Ringing Tone for Selection.
- 4 Kinds of Polyphonic Ringing Music For Selection
- Intercom and Parallel Call Transfer Function between two same models in parallel.
- Mute Function.
- Music on Hold
- Display of Incoming number, New Call, Repeat Calls, Real Time & Date in Idle Mode
- Checking, Erasing and Call Back for Incoming /Outgoing Calls.
- Pre-dial and Edit function
- Redial function & Pause Function.
- 5 Sets of Alarm Clock.
- 16 Level LCD Contrast Adjustable
- Tone /Pulse Dialing Mode selectable through program
- Two ways Speakerphone with adjustable Receive Volume Control.
- 5 Level Ringing Volume Selection
- Programmable Flash function ( 100ms,300ms,600ms & 1000ms)
- Auto Add "0" in Call Back
- Local Area Code Setting
- LED Indication for Ring / New Call
- Available in Warm Grey and Black Colors



## **\*Model : M59**

## CLI Phone



- DTMF/FSK CLI Compatible
- 16-digit LCD display with Blue backlight
- 37 Incoming calls memory (Dynamic memory)
- 37 VIP calls memory (Dynamic memory)
- 15 Outgoing call memory (Dynamic memory)
- 10-One touch memories
- Programmable flash time
- Tone /Pulse dialing mode compatible
- Music on Hold
- 16 Ring melodies
- 4 – Level ringing volume control
- 2 - Way Speaker function with adjustable volume
- Do Not Disturb function
- DTMF/FSK compatible with auto –detection.
- 3 – Alarm clock setting)
- 5-levels of
- LCD contrast adjustable
- Anti-steal dialing function
- Mechanical key Lock function

## **\*Model : M65**

## CLI Phone



- CLI DTMF / FSK
- 16 Digit LCD Display for Name & Number
- Display of Real Time and Date
- Checking Erasing and Editing of the Call
- 99 Incoming calls Memory
- 99 outgoing calls Memory
- Phone book (99 Numbers with name)
- 3 One Touch & 10 Two Touch Memories
- 5 step LCD contrast adjustable
- Local Area Code Setting
- (0, 95) Dialling Lock-software controlled
- Visual Indication for Ringer
- Two way speaker phone
- Toggle Mute
- Programmable Flash (100 ms - 1000 ms)
- Ringer Vol. Control through Switch
- Secret Call Function
- Baby Call Function
- Digital Volume Control for speaker

## \*Model : M70

## CLI Phone



- 14 - Digit LCD Display With Blue Backlight
- 2 - Line CLI Function
- 3 - Way Call Conferencing Function
- Music on Hold (For other end only)
- 60 - Incoming Call Memory
- 20 - Outgoing Call Memory
- 2-One Touch & 9-Two touch Memory
- 2 - Way Speaker Phone with Adjustable Volume
- 16 - Ring Melody Selectable
- Step Ringing Volume Switchable (HI/LOW/OFF)
- Adjustable LCD Contrast
- Flash Time 300 m Sec
- Pause Function
- Mechanical Lock
- Auto Add "0"
- Anti Line Tapping Function
- Dual Mode FSK/DTMF Caller ID Compatible
- In Use / Hold LED Indication

## \*Model : M71

## CLI Phone



- FSK/DTMF compatible with auto-detection.
- 16-digit LCD display with Green back light.
- 99 Nos Incoming Call Memory.
- 18 Nos Outgoing Call Memory.
- 6 One-Touch Memory.
- 5 kinds of Normal Ringing Tone for Selection.
- Intercom and Parallel Call Transfer Function
- Redial function & Pause Function.
- 5 sets of Alarm Clock.
- 4 kinds of Polyphonic Ringing Music For Selection
- Basic Calculator function.
- Set PABX Code Function.
- 16 level LCD Contrast Adjustable.
- Programmable selectable Tone /Pulse Dialing Mode.
- Two ways Speakerphone with 3 levels Volume Control.
- 5 level Ringing volume selection
- Anti- Steal dialing function
- Programmable Flash function

**\*Model : M73**

CLI Phone



- DTMF/FSK CLI Compatible
- 30 Incoming Call Memory
- 05 Outgoing Call Memory
- 08 Ring Melody Selectable
- Adjustable LCD Contrast
- Adjustable Ringing Volume
- Tone/Pulse Dialing Mode Selectable
- Pre- Dial and Edit Function
- Music on Hold
- 16 Digit LCD Display With Backlight
- Stylish Retro Phone Design
- 2 Way Speaker Phone
- Anti Line Tapping Function

## \*Model : M75

## High end CLI Phone



- 99 Nos Phone book memory
- Dynamic Incoming calls memory.
- Dynamic Outgoing calls memory
- 10 One touch & 10 two touch memory.
- Pre- Dial Voice announcing feature.
- Incoming number talking CLI announcing
- Outgoing message number (OGM) announcement
- Reject number setting (Black list function).
- 8 normal ringing tones and 10 music ringing for selection
- 10 kinds of hold music for selection
- 5 sets of alarm clock with daily or one time option.
- LCD contrast adjustable.
- Mute function
- Programmable Flash & Pause
- Tone /Pulse dialing mode compatible.
- Ringing volume adjustable
- Anti-stealing dialing function
- Dual Mode FSK/DTMF CLI Compatible



## **\*Model : M90**

## CLI Phone



- FSK/DTMF compatible caller-id
- Two Way Speaker phone with digital receive volume Control
- LCD with Blue Backlight
- 16 Digit two lines LCD Display for Names and Numbers
- 99 Incoming calls Memory
- 10 outgoing calls Memory
- Phone book -50 Numbers with Name
- 8 One Touch & 10 Two Touch Memories
- Language Selection
- 5 Step LCD contrast adjustable
- Toggle Mute & Music On Hold
- Programmable Flash
- Software controlled dialing lock
- LED Indication for Rin and Speaker
- Ringer Volume Control switch

**\*Model : M91**

High end CLI Phone



- Dual Mode FSK/DTMF Caller ID Compatible
- 16-Digit LCD Display with Blue Backlight
- Angular LCD Display (Tilted)
- 110 - Incoming Call Memories
- 16 - Outgoing Call Memories
- FSK Type-II CLI Compatible (Call wait CLI\*\*)
- 70 - Phone Book Memories
- 10 - One Touch & 10 - Two Touch Memories
- High end Speaker Phone with Adjustable Receive Volume
- Mute & Hold Function
- 3.5mm Headset Jack Support
- 8 - Ring Melody Selectable





# Beetel Phones with Special Function

---

# Model – B77

## Basic Twin Phone



- Ringer volume control switch
- Tone/ Pulse Switchable
- Redial
- Mute
- Flash
- Pause
- Intercom facility
- Call Transfer
- Holding the line / Music on Hold during call transfer
- Line use LED Indication
- Secrecy during conversation between both phones

# Model – B78


## Speaker Twin Phone



- Speaker Phone
- Ringer volume control switch
- Tone/ Pulse Switchable
- Redial & Pause Function
- Mute & Flash Function
- Intercom facility
- Call Transfer
- Holding the line / Music on Hold during call transfer
- Line use LED Indication
- Speaker ON LED indication
- Secrecy during conversation between both phones
- Speaker Volume Switch
- Ring LED Indication

# Model – M78

## Twin Caller ID Phone



- Intercom Facility Between Two Phones.
- • Call Transfer facility from Phone 1 to Phone 2 & Vice Versa.
- • Dual Mode FSK/DTMF CLI compatible.
- • Two Way Speakerphone.
- • 3 one touch memory.(M1,M2 &M3)
- • Auto Add "0" in Call Back.
- • 28 Incoming calls memory.
- • 10 outgoing calls memory.
- • 5 step LCD contrast adjustable.
- • Programmable Flash time and Pause
- • Programmable Tone / Pulse Dialing Mode.
- • 3 step ringer Volume switchable



# Beetel Cordless Phones

## \*Model : X62 Solo(14-segment LCD display)



- 2.4GHz Digital Cordless
- Phone Book Memory -50 Nos
- CLI Memory-20 Nos
- Outgoing Memory-10 Nos
- Two-way speakerphone
- 10 Ring Tones
- Backlight LCD Display
- Talk-Time - 8.0Hrs
- Stand-by Time - 4.0 Days
- Illuminated Keypad

## \*Model : X63 Solo(14-segment LCD display )



- 2.4GHz Digital Cordless
- Phone Book Memory -50 Nos
- CLI Memory-20 Nos
- Outgoing Memory-10 Nos
- Two-way speakerphone
- 10 Ring Tones
- Backlight LCD Display
- Talk-Time - 8.0Hrs
- Stand-by Time - 4.0 Days
- Illuminated Keypad

## \*Model : X64 Solo(14-segment LCD display )



- 2.4GHz Digital Cordless
- Phone Book Memory -50 Nos
- CLI Memory-20 Nos
- Outgoing Memory-10 Nos
- Two-way speakerphone
- 10 Ring Tones
- Backlight LCD Display
- Talk-Time - 8.0Hrs
- Stand-by Time - 4.0 Days
- Illuminated Keypad



## \*Model : X66N Solo(14-segment LCD display )



- 2.4GHz Digital Cordless
- Phone Book Memory -50 Nos
- CLI Memory-20 Nos
- Outgoing Memory-10 Nos
- Two-way speakerphone
- 10 Ring Tones
- Backlight LCD Display
- Talk-Time - 8.0Hrs
- Stand-by Time - 4.0 Days
- Illuminated Keypad

## \*Model : X67 (Full Dot Matrix LCD display )



- 2.4GHz Digital Technology Cordless
- Blue Backlit LCD Display
- Illuminated Keypad
- 50 Incoming Calls Memory
- Phone Book to store 50 Nos with Name
- Two-way Speakerphone with Adjustable Volume
- 10-Selectable Ringer Melodies at Handset with Adjustable Volume
- Handset Locator ( Paging from Base Unit to Handset )
- Out of Range Warning Tone
- Low Battery Warning Tone
- IN-USE/CHARGE/RINGER LED Indication on the Base Unit
- Ringer Mute during Incoming Call
- Slim Handset

## \*Model : X69N Solo(14-segment LCD display )



- 2.4GHz Digital Cordless
- Phone Book Memory -50 Nos
- CLI Memory-20 Nos
- Outgoing Memory-10 Nos
- Two-way speakerphone
- 10 Ring Tones
- Backlight LCD Display
- Talk-Time - 8.0Hrs
- Stand-by Time - 4.0 Days
- Two way charging

# \*Model : X70



2.4GHz Digital Technology Cordless  
Dual Mode DTMF / FSK Caller ID System Compatible  
Orange Backlit LCD Display  
Illuminated Keypad  
30 Incoming Calls Memory  
Phone Book to store 100 Nos. with Name  
Two-way Speakerphone with Adjustable Volume  
5 -Step Receive Volume Control  
5 -Ring Tones & 5 -Polyphonic Ring Tones at Handset with Adjustable Volume  
6 -Step Ringer Volume Control at Handset with OFF  
Handset Ring - ON / OFF  
Handset - ON / OFF  
Key Tone - ON / OFF  
Auto Answer - ON / OFF  
Handset Keypad - Lock / Unlock  
Alarm Function  
Programmable Flash Time Setting ( 100, 300, 600msec )- Default 300msec  
Pre-dialing & Clearing Function  
Handset Locator ( Paging from Base Unit to Handset )  
Local Area Code Setting up to 6 -Digits  
Auto add " 0 " to call back long distance incoming numbers  
Provision for Handset Name  
Tone / Pulse dialing mode ( Programmable )  
Last Number Redial  
Mute Function  
Out of Range Warning Tone  
Low Battery Warning Tone  
Battery Charging Level Indicator on Handset  
Provision for Resetting to Default Settings in Handset & Base Unit

# \*Model : X78 Combo (Corded + Cordless) Phone



- 2.4GHz Digital Cordless Combo
- Phone Book Memory-150 nos each on Handset & Base Unit
- CLI Memory-20 nos each on Handset & Base Unit
- Outgoing Memory-10 nos each on Handset & Base Unit
- Two-way speakerphone in both Handset & Base Unit
- 10 Ring Melodies Selection in both Handset & Base Unit
- Backlight LCD Display in both Handset & Base Unit
- Talk-Time - 8.0Hrs
- Stand-by Time - 4.0 Days
- Intercom & External Call Transfer between Handset & Base Unit.
- 3-way call conferencing function



# Beetel Fixed Wireless Phones

## \*Model : F1

## Fixed Wireless Phone



- LCD Display with Backlight
- Supports Quad Band GSM(Voice Only)- 850MHz/900MHz/1800MHz/1900MHz
- Receive & Send SMS-Maximum 200 SMS can be stored
- Phone Book to Store 100 Nos with Name
- Speed Dialling Function for dial out of pre-stored phone numbers
- Call Log to store Missed, Dialed & Received Calls- 10 each latest calls
- Pre-dialling and clear function
- Battery Standby Time – 50 Hrs
- Battery Talk-Time – 3 Hrs
- Two-Way Speakerphone with Adjustable Receive Volume
- Handset Receive Volume Control
- Selectable Ring Melodies with Adjustable Ring Volume
- Alarm Function with Snooze
- Basic Calculator Function
- Last Number Redial
- Battery Capacity, Signal Strength, Date & Time Display on LCD Display
- Power ON/OFF with Selectable Tone
- High performance detachable “TNC” antenna
- Supports Phone Lock Function for Security





Brightstar™  
Serving Wireless

Thank you!